



# Valencia

## COLORI

colours - couleurs - farbe - ЦВЕТА



Bone



Oro



Rosso



Grigio



Antracite

## FORMATI

sizes - formats - format - ФОРМАТЫ



45x45 (18"x18")



33,3x33,3 (13"x13")



16,5x33,3 (6"x13")

## SUPERFICI: Naturale - Grip (Corindonato)

SURFACE: Natural - Grip

SURFACE: Naturelle - Grip

OBERFLACHE: Matt - Grip

ПОВЕРХНОСТИ: Натуральная или Grip



FUGA 3 mm



DIN 51130  
R10 (GRIP)



DIN 51097  
B (GRIP)



## Bone



45x45 (18"x18")  
7689605 Naturale 68 ●  
7689635 Corindonato 68 ●



33,3x33,3 (13"x13")  
7644750 Naturale 60 ●  
7666471 Corindonato 60 ●



16,5x33,3 (6"x13")  
7654345 Naturale 81 ●  
7654375 Corindonato 81 ●

## Oro



45x45 (18"x18")  
7689595 Naturale 68 ●  
7689625 Corindonato 68 ●



33,3x33,3 (13"x13")  
7663581 Naturale 60 ●  
7666461 Corindonato 60 ●



16,5x33,3 (6"x13")  
7654335 Naturale 81 ●  
7654365 Corindonato 81 ●

## Rosso



45x45 (18"x18")  
7689585 Naturale 68 ●  
7689615 Corindonato 68 ●



33,3x33,3 (13"x13")  
7644790 Naturale 60 ●  
7666451 Corindonato 60 ●



16,5x33,3 (6"x13")  
7654325 Naturale 81 ●  
7654355 Corindonato 81 ●

## Grigio



45x45 (18"x18")  
7952745 Naturale 68 ●  
7652765 Corindonato 68 ●



33,3x33,3 (13"x13")  
7657761 Naturale 60 ●  
7657771 Corindonato 60 ●

## Antracite



45x45 (18"x18")  
7652755 Naturale 68 ●  
7652775 Corindonato 68 ●



33,3x33,3 (13"x13")  
7657781 Naturale 60 ●  
7657791 Corindonato 60 ●

## DECORI decors - decorations - dekore - ДЕКОР

### Avalon Fascia



10x33,3 (4"x13") 8 ●  
7389275 To/Ard 83 ▲

### Treccia



8x30 (3,2"x12") 8 ●  
6430411 Grigio 74 ▲

### Angolo



8x8 (3,2"x3,2") 4 ●  
6430431 Grigio 55 ▲


## PEZZI SPECIALI trims - pieces speciales - formstücke - СОБЫЕЭЛЕМЕНТЫ




**Battiscopa**  
8x33,3 (3,2"x13")  
7621198 Bone  
7621218 Oro  
7621228 Rosso  
7657809 Grigio  
7657819 Antracite  
14 ▲ 32 ●




**Battiscopa**  
8x45 (3,2"x18")  
7652959 Bone  
7652979 Oro  
7652989 Rosso  
7652969 Grigio  
7652949 Antracite  
21 ▲ 12 ●



**Step**  
33,3x33,3 (13"x13")  
7665582 Bone  
7654073 Bone Cor.  
7663602 Oro  
7654070 Rosso  
7654072 Rosso Cor.  
40 ▲ 13 ●



**Gradone**  
33,3x33,3 (13"x13")  
7656594 Bone  
7658232 Bone Cor.  
7656634 Oro  
7657992 Oro Cor.  
7656654 Rosso  
7658222 Rosso Cor.  
66 ▲ 6 ●



**Gradone Angolare**  
33,3x33,3 (13"x13")  
7656604 Bone  
7658262 Bone Cor.  
7656644 Oro  
7658242 Oro Cor.  
7656664 Rosso  
7658252 Rosso Cor.  
93 ▲ 2 ●

## IMBALLI packing - emballages - verpackung - УПАКОВКА

	mm.	PCS / BOX	M2 / BOX	BOX / PLT	M2 / PLT	KG. / PLT
45x45	9	7	1,42	26	36,9	754
33,3x33,3	8	14	1,55	44	68,2	1100
16,5x33,3	8	16	0,88	68	59,84	1020

**GS**

**GRES PORCELLANATO SMALTATO**

GLAZED GRES PORCELAIN  
GRES CERAME EMAILLE  
GLASIERTE FEINSTEINZEUG  
GRES PORCELÁNICO ESMALTADO  
ГЛАЗУРОВАННЫЙ ФАРФОРОВЫЙ КЕРАМОГРАНИТ

**GRUPPO DI APPARTENENZA SECONDO ISO 13006**

CLASS  
GROUPE D'APPARTENANCE  
ZUGEHÖRIGKEITSGRUPPE  
GRUPO DE PERTENENCIA  
ГРУППА ПРИНАДЛЕЖНОСТИ



**Bla GL**

Simbologia Symbolics Symboles Symbole Simbolos Символы	Caratteristiche Features Caractéristiques Eigenschaften Características Характеристика	Unità di misura Unit of measurement Unité de mesure Masseinheit Unidad de medida Единица измерения	Valore medio Saime Saime mean value Valeur moyenne Saime Durchschnittswert-Saime Valor medio Saime Среднее значение Saime	Valore prescritto Fixed value Valeur prescrite Vorgeschriebener Wert Valor prescrito Требуемое значение	Metodo di prova Test method Méthode d'essai Prüfmethode Método de ensayo Метод испытания
	<b>Dimensione lati</b> Dimensions-Length and width Dimensions-Longueur et largeur Masse-Länge und Breite Dimensiones-Longitud y ancho Размеры сторон	%	+/- 0,4	+/- 0,6 max	UNI EN ISO 10545-2
	<b>Rettilineità dei lati</b> Side straightness Rectitude des arêtes Geradlinigkeit der Kanten Rectilíneidad de los lados Прямолинейность сторон	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2
	<b>Ortogonalità degli spigoli</b> Corner squareness Angularité Rechtwinkligkeit der Kanten Ortogonalidad de las esquinas Ортогональность кромок	%	+/- 0,4	+/- 0,6 max	UNI EN ISO 10545-2
	<b>Planarità</b> Flatness - Planéité Ebenfächigkeit - Planeidad Плоскостность	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2
	<b>Spessore</b> Thickness - Epaisseur Dicke - Grosor Толщина	%	+/- 5,0	+/- 5,0 max	UNI EN ISO 10545-2
	<b>Assorbimento d'acqua</b> Water absorption - Absorption d'eau Wasseraufnahme - Absorción de agua Водопоглощение	%	< 0,4	≤ 0,5	UNI EN ISO 10545-3
	<b>Storzo di rottura</b> Breaking strenght Contrainte de rupture Bruchkraft Esfuerzo de rotura Разрушающее усилие	N	> 1500	≥ 1300 se Spess. ≥ 7,5 ≥ 700 se Spess. ≤ 7,5	UNI EN ISO 10545-4
	<b>Modulo di rottura</b> Modulus of rupture Coefficient de rupture Bruchmodul Módulo de rotura Модуль разрыва	N/mm <sup>2</sup>	> 38	≥ 35	UNI EN ISO 10545-4
	<b>Resistenza all'abrasione</b> Resistance to abrasion Résistance à l'abrasion Beständigkeit gegen Oberflächenverschleiss Resistencia à la abrasión Сопротивление истиранию	-	secondo la serie	Classe 1-5	UNI EN ISO 10545-7
	<b>Dilatazione termica lineare</b> Coeff. of linear thermal expansion Coeff. d'extension thermique linéaire Linearer Wärmeausdehnungs-Koeffizient Coeficiente de dilatación térmica lineal Линейное тепловое расширение	*MK (-1)	7,0	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	UNI EN ISO 10545-8
	<b>Resistenza agli sbalzi termici</b> Thermal shock resistyance Résistance aux chocs termiques Temperaturwechsel Beständigkeit Resistencia a choque térmico Стойкость к перепадам температуры	-	resiste résiste widerstandsfähig resiste стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	UNI EN ISO 10545-9
	<b>Resistenza alle macchie</b> Stain resistance - Résistance au tâches Flecken Beständigkeit - Resistencia a las manchas Стойкость к образованию пятен	-	≥ 3	3 MIN	UNI EN ISO 10545-14
	<b>Resistenza ai prodotti chimici di uso domestico</b> Resistance to chemical products Résistance aux produits chimiques Beständigkeit gegen Chemikalien Resistencia a los productos químicos Стойкость к бытовым химикатам	-	conforme conform conforme gleichmässig conforme соответствует	MIN GB	UNI EN ISO 10545-13
	<b>Resistenza agli acidi e alle basi a bassa concentrazione</b> Resistant to acids and low concentration bases Résistance aux acides et aux bases à faible concentration Widerstandsfähig gegenüber niedrig konzentrierten Säuren und Laugen Resistencia a los ácidos y las bases de baja concentración Стойкость к низким концентрациям кислот и щелочей	-	MIN GLB	secondo classificazione prodotto according to product classification selon classification produit Gemäß Produktklassifizierung СООПАСНО КЛАССИФИКАЦИИ ПРОДУКЦИИ	UNI EN ISO 10545-13
	<b>Resistenza al gelo</b> Frost resistance Résistance au gel Frostbeständigkeit Resistencia al hielo Морозостойкость	-	resiste résiste widerstandsfähig resiste стойкий	richiesta request demande anfrage solicitud требуемое значение	UNI EN ISO 10545-12
	<b>Stabilità dei colori</b> Colour stability Stabilité des coloris Lichtechtheit der Färbung Estabilidad de los colores Цветостойкость	-	stabile stable stable estable стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	DIN 51094
	<b>E' a disposizione della gentile clientela la lista dei nostri articoli certificati dall'ente UNI CERTIQUALITY</b> The list of our items certified by "UNI" is available for our customers Pour tous nos clients est disponible la liste de nos produits avec la certification UNI Den Kunden steht eine Aufstellung zur Verfügung der Artikeln die mit UNI Zertifikat bescheinigt wurden La lista de nuestros artículos certificados por el Instituto UNI está a disposición de la estimada clientela. Мы можем предоставить в распоряжении наших заказчиков перечень нашей продукции, сертифицированной органом UNI				